

## Ribbon cable

Ribbon cable 10, 14, 18, 30 and 44pin  
for SCHNEID modules and module controllers

Order number:	030.xxxxx
Order code:	Flachbandkabel-xxxxx-xxxxx

### Overview:

Gray ribbon cables and ribbon cable extensions for SCHNEID modules in various wire sizes.



### Variants:

Ribbon cable for <b>CM06 communication base</b> <b>10-pin version 800 mm standard length</b> Order number: 030.13551 Order code: Flachbandkabel für CM06-BASIS 10p/800	Ribbon cable for <b>CM06 communication base</b> <b>10-pin version 1100mm</b> Order number: 030.14335 Order code: Flachbandkabel für CM06-BASIS 10p/1100
Ribbon cable for <b>heating circuit module HK06 &amp; HK12</b> <b>10-pin version 800mm standard length</b> Order number: 030.13891 Order code: Flachbandkabel für HK-Module 10p/800	Ribbon cable for <b>heating circuit module HK06 &amp; HK12</b> <b>10-pin version 1100mm</b> Order number: 030.14336 Order code: Flachbandkabel für HK-Module 10p/1100
Ribbon cable for <b>heating circuit module HK06 &amp; HK12</b> <b>10-pin version 2100mm</b> Order number: 030.14344 Order code: Flachbandkabel für HK-Module 10p/2100	
Ribbon cable for <b>heating circuit module HK06 &amp; HK12</b> <b>HALOGEN FREE</b> <b>10-pin version 800mm standard length</b> Order number: 030.16794 Order code: Flachbandkabel halogenfrei für HK-Module	
Ribbon cable <b>extension for Heating circuit modules and CM06 communication base</b> <b>10-pin version 1000mm standard length</b> Order number: 030.11918 Order code: Flachbandkabelverlängerung HK-Module & COM-Basis	
Ribbon cable for <b>speed module</b> <b>Two cables 10 &amp; 14-pin version 800mm standard length</b> Order number: 030.14341 Order code: Flachbandkabel für Drehzahlmodul 10p+14p/800	

# Ribbon cable

<p>Ribbon cable for <b>CM08 communication base</b>  <b>14-pin version 800mm standard length</b>                      Order number: 030.14337                      Order code: Flachbandkabel für CM08-BASIS 14p/800</p>	<p>Ribbon cable for <b>CM08 communication base</b>  <b>14-pin version 1100mm</b>                      Order number: 030.14338                      Order code: Flachbandkabel für CM08-BASIS 14p/1100</p>
<p>Ribbon cable for <b>CM08 communication base</b>  <b>14-pin version 2100mm</b>                      Order number: 030.14343                      Order code: Flachbandkabel für CM08-BASIS 14p/2100</p>	
<p>Ribbon cable for <b>CM08 communication base</b>  <b>HALOGEN FREE</b>  <b>14-pin version 800mm standard length</b>                      Order number: 030.16792                      Order code: Flachbandkabel halogenfrei für CM08-BASIS</p>	
<p>Ribbon cable for <b>AIN module MR08 / MR12</b>  <b>18-pin version 800mm standard length</b>                      Order number: 030.14340                      Order code: Flachbandkabel für AIN Modul MR08/MR12</p>	
<p>Ribbon cable for <b>AIN module MR08 / MR12</b>  <b>HALOGEN FREE</b>  <b>18-pin version 800mm standard length</b>                      Order number: 030.16791                      Order code: Flachbandkabel halogenfrei für AIN Modul MR08/12</p>	
<p>Ribbon cable <b>extension for module controller MR07</b>  <b>30-pin version 1000mm standard length</b>                      Order number: 030.11817                      Order code: Flachbandkabelverlängerung für MR07 Regler</p>	
<p>Ribbon cable for <b>module controller MR08 / MR12</b>  <b>44-pin version 500mm standard length</b>                      Order number: 030.14339                      Order code: Flachbandkabel für MR08/12 Regler 44p/500</p>	<p>Ribbon cable for <b>module controller MR08 / MR12</b>  <b>44-pin version 1500mm</b>                      Order number: 030.12534                      Order code: Flachbandkabel für MR08/12 Regler 44p/1500</p>
<p>Ribbon cable for <b>module controller MR08 / MR12</b>  <b>HALOGEN FREE</b>  <b>44-pin version 500mm standard length</b>                      Order number: 030.16793                      Order code: Flachbandkabel halogenfrei für MR08/MR12 Regler</p>	

# Ribbon cable

## Scope of delivery:

According to the order of the individual components.

## Technical specifications:

Intrastat Number:	8544.42.90.10
Country of origin	EU/AT
Height, width, depth (in mm)	17x800x7mm ribbon cable for CM06-BASIS 10p / 800 17x1100x7mm ribbon cable for CM06-BASIS 10p / 1100 17x800x7mm & 23x800x7mm ribbon cable for speed module 10p / 800 & 14p / 800 17x800x7mm ribbon cable for HK modules 10p / 800 17x1100x7mm ribbon cable for HK modules 10p / 1100 17x2100x7mm ribbon cable for HK modules 10p2100 17x800x7mm ribbon cable halogen-free for HK modules 10p / 800 23x1000x8mm ribbon cable extension HK modules & COM base 10p / 1000 23x800x7mm ribbon cable for CM08-BASIS 14p / 800 23x1100x7mm ribbon cable for CM08-BASIS 14p / 1100 23x2100x7mm ribbon cable for CM08-BASIS 14p / 2100 23x800x7mm ribbon cable halogen-free for CM08-BASIS 14p / 800 27.5x800x7mm ribbon cable for AIN module MR08 / MR12 18p / 800 27.5x800x7mm ribbon cable halogen-free for AIN module MR08 / 12 18p / 800 49x1000x8mm ribbon cable extension for MR07 controller 30p / 1000 61x500x7mm ribbon cable for MR08 / 12 controller 44p / 500 61x1500x7mm ribbon cable for MR08 / 12 controller 44p / 1500 61x500x7mm ribbon cable halogen-free for MR08 / MR12 controller 44p / 500
Weight (in kg)	0.018kg ribbon cable for CM06-BASIS 10p / 800 0.025kg ribbon cable for CM06-BASIS 10p / 1100 0.045kg two ribbon cables for speed module 10p / 800 & 14p / 800 0.018kg ribbon cable for HK modules 10p / 800 0.025kg ribbon cable for HK modules 10p / 1100 0.043kg ribbon cable for HK modules 10p / 2100 0.018kg flat ribbon cable halogen-free for HK modules 10p / 800 0.023kg ribbon cable extension HK modules & COM base 10p / 1000 0.027kg ribbon cable for CM08-BASIS 14p / 800 0.033kg ribbon cable for CM08-BASIS 14p / 1100 0.055kg ribbon cable for CM08-BASIS 14p / 2100 0.027kg flat cable halogen free for CM08-BASIS 14p / 800 0.034kg ribbon cable for AIN module MR08 / MR12 18p / 800 0.034kg flat ribbon cable halogen-free for AIN module MR08 / 12 18p / 800 0.068kg ribbon cable extension for MR07 controller 30p / 1000 0.056kg ribbon cable for MR08 / 12 controller 44p / 500 0.128kg ribbon cable for MR08 / 12 controller 44p / 1500 0.056kg ribbon cable halogen-free for MR08 / MR12 controller 44p / 500
Degree of protection	IP20
Ambient temperature	-40°C to +105°C
Connection type	IDC-socket
Coat color	grey
Outer jacket material	PVC
Cable type	Ribbon cable, tinned copper with gray PVC insulator
Rated current	500 mA